



## 103RD GENERAL ASSEMBLY

### State of Illinois

### 2023 and 2024

#### HB2505

by Rep. Martin J. Moylan

#### SYNOPSIS AS INTRODUCED:

625 ILCS 5/15-103	from Ch. 95 1/2, par. 15-103
625 ILCS 5/15-107	from Ch. 95 1/2, par. 15-107
625 ILCS 5/15-116	
625 ILCS 5/15-316	from Ch. 95 1/2, par. 15-316

Amends the Illinois Vehicle Code. Provides that local authorities with respect to highways under their jurisdiction may also, by ordinance or resolution, prohibit the operation of trucks or other commercial vehicles, or may impose limitations as the weight, height, or length (rather than only weight) thereof, which prohibitions and limitations shall be marked by appropriate signs placed on such highways. Establishes that an agency or instrumentality of the State of Illinois or any unit of local government shall not be required to widen or otherwise alter a non-designated highway (regardless of its date of construction) to accommodate truck-tractor-semitrailer combinations. Provides that each unit of local government may (rather than shall) report to the Department of Transportation any limitations prohibiting the operation of vehicles imposed by ordinance or resolution in the unit of local government's non-designated highway system. Makes conforming changes.

LRB103 27854 MXP 54232 b

1 AN ACT concerning transportation.

2 **Be it enacted by the People of the State of Illinois,**  
3 **represented in the General Assembly:**

4 Section 5. The Illinois Vehicle Code is amended by  
5 changing Sections 15-103, 15-107, 15-116, and 15-316 as  
6 follows:

7 (625 ILCS 5/15-103) (from Ch. 95 1/2, par. 15-103)

8 Sec. 15-103. Height of vehicles. Except as provided in  
9 Section 15-316, the ~~The~~ height of a vehicle from the under side  
10 of the tire to the top of the vehicle, inclusive of load, shall  
11 not exceed 13 feet, 6 inches on any highway in the State.

12 A person convicted of violating this Section is subject to  
13 the penalty provided in paragraph (b) of Section 15-113.

14 (Source: P.A. 92-417, eff. 1-1-02.)

15 (625 ILCS 5/15-107) (from Ch. 95 1/2, par. 15-107)

16 Sec. 15-107. Length of vehicles.

17 (a) The maximum length of a single vehicle on any highway  
18 of this State may not exceed 42 feet except the following:

19 (1) Semitrailers.

20 (2) Charter or regulated route buses may be up to 45  
21 feet in length, not including energy absorbing bumpers.

22 (a-1) A motor home as defined in Section 1-145.01 may be up

1 to 45 feet in length, not including energy absorbing bumpers.  
2 The length limitations described in this subsection (a-1)  
3 shall be exclusive of energy-absorbing bumpers and rear view  
4 mirrors.

5 (b) (Blank).

6 (c) Except as provided in subsections (c-1) and (c-2),  
7 combinations of vehicles may not exceed a total of 2 vehicles  
8 except the following:

9 (1) A truck tractor semitrailer may draw one trailer.

10 (2) A truck tractor semitrailer may draw one converter  
11 dolly or one semitrailer.

12 (3) A truck tractor semitrailer may draw one vehicle  
13 that is defined in Chapter 1 as special mobile equipment,  
14 provided the overall dimension does not exceed 60 feet.

15 (4) A truck in transit may draw 3 trucks in transit  
16 coupled together by the triple saddlemount method.

17 (5) Recreational vehicles consisting of 3 vehicles,  
18 provided the following:

19 (A) The total overall dimension does not exceed 60  
20 feet.

21 (B) The towing vehicle is a properly registered  
22 vehicle capable of towing another vehicle using a  
23 fifth-wheel type assembly.

24 (C) The second vehicle in the combination of  
25 vehicles is a recreational vehicle that is towed by a  
26 fifth-wheel assembly. This vehicle must be properly

1 registered and must be equipped with brakes,  
2 regardless of weight.

3 (D) The third vehicle must be the lightest of the 3  
4 vehicles and be a trailer or semitrailer designed or  
5 used for transporting a boat, all-terrain vehicle,  
6 personal watercraft, or motorcycle.

7 (E) The towed vehicles may be only for the use of  
8 the operator of the towing vehicle.

9 (F) All vehicles must be properly equipped with  
10 operating brakes and safety equipment required by this  
11 Code, except the additional brake requirement in  
12 subdivision (C) of this subparagraph (5).

13 (6) A tow truck in combination with a disabled vehicle  
14 or combination of disabled vehicles, provided the towing  
15 vehicle:

16 (A) Is specifically designed as a tow truck having  
17 a gross vehicle weight rating of at least 18,000  
18 pounds and equipped with air brakes, provided that air  
19 brakes are required only if the towing vehicle is  
20 towing a vehicle, semitrailer, or tractor-trailer  
21 combination that is equipped with air brakes. For the  
22 purpose of this subsection, gross vehicle weight  
23 rating, or GVWR, means the value specified by the  
24 manufacturer as the loaded weight of the tow truck.

25 (B) Is equipped with flashing, rotating, or  
26 oscillating amber lights, visible for at least 500

1 feet in all directions.

2 (C) Is capable of utilizing the lighting and  
3 braking systems of the disabled vehicle or combination  
4 of vehicles.

5 (D) Does not engage a tow exceeding 50 highway  
6 miles from the initial point of wreck or disablement  
7 to a place of repair. Any additional movement of the  
8 vehicles may occur only upon issuance of authorization  
9 for that movement under the provisions of Sections  
10 15-301 through 15-318 of this Code.

11 The Department may by rule or regulation prescribe  
12 additional requirements regarding length limitations for a  
13 tow truck towing another vehicle.

14 For purposes of this Section, a tow-dolly that merely  
15 serves as substitute wheels for another legally licensed  
16 vehicle is considered part of the licensed vehicle and not  
17 a separate vehicle.

18 (7) Commercial vehicles consisting of 3 vehicles,  
19 provided the following:

20 (A) The total overall dimension does not exceed 65  
21 feet.

22 (B) The towing vehicle is a properly registered  
23 vehicle capable of towing another vehicle using a  
24 fifth-wheel type assembly or a goose-neck hitch ball.

25 (C) The third vehicle must be the lightest of the 3  
26 vehicles and be a trailer or semitrailer.

1 (D) All vehicles must be properly equipped with  
2 operating brakes and safety equipment required by this  
3 Code.

4 (E) The combination of vehicles must be operated  
5 by a person who holds a commercial driver's license  
6 (CDL).

7 (F) The combination of vehicles must be en route  
8 to a location where new or used trailers are sold by an  
9 Illinois or out-of-state licensed new or used trailer  
10 dealer.

11 (c-1) A combination of 3 vehicles is allowed access to any  
12 State designated highway if:

13 (1) the length of neither towed vehicle exceeds 28.5  
14 feet;

15 (2) the overall wheel base of the combination of  
16 vehicles does not exceed 62 feet; and

17 (3) the combination of vehicles is en route to a  
18 location where new or used trailers are sold by an  
19 Illinois or out-of-state licensed new or used trailer  
20 dealer.

21 (c-2) A combination of 3 vehicles is allowed access from  
22 any State designated highway onto any county, township, or  
23 municipal highway for a distance of 5 highway miles for the  
24 purpose of delivery or collection of one or both of the towed  
25 vehicles if:

26 (1) the length of neither towed vehicle exceeds 28.5

1 feet;

2 (2) the combination of vehicles does not exceed 40,000  
3 pounds in gross weight and 8 feet 6 inches in width;

4 (3) there is no sign prohibiting that access;

5 (4) the route is not being used as a thoroughfare  
6 between State designated highways; and

7 (5) the combination of vehicles is en route to a  
8 location where new or used trailers are sold by an  
9 Illinois or out-of-state licensed new or used trailer  
10 dealer.

11 (d) On Class I highways there are no overall length  
12 limitations on motor vehicles operating in combinations  
13 provided:

14 (1) The length of a semitrailer, unladen or with load,  
15 in combination with a truck tractor may not exceed 53  
16 feet.

17 (2) The distance between the kingpin and the center of  
18 the rear axle of a semitrailer longer than 48 feet, in  
19 combination with a truck tractor, may not exceed 45 feet 6  
20 inches. The limit contained in this paragraph (2) shall  
21 not apply to trailers or semi-trailers used for the  
22 transport of livestock as defined by Section 18b-101.

23 (3) The length of a semitrailer or trailer, unladen or  
24 with load, operated in a truck tractor-semitrailer-trailer  
25 or truck tractor semitrailer-semitrailer combination, may  
26 not exceed 28 feet 6 inches.

1           (4) Maxi-cube combinations, as defined in Chapter 1,  
2           may not exceed 65 feet overall dimension.

3           (5) Combinations of vehicles specifically designed to  
4           transport motor vehicles or boats may not exceed 65 feet  
5           overall dimension. The length limitation is inclusive of  
6           front and rear bumpers but exclusive of the overhang of  
7           the transported vehicles, as provided in paragraph (i) of  
8           this Section.

9           (6) Stinger-steered semitrailer vehicles specifically  
10          designed to transport motor vehicles or boats and  
11          automobile transporters, as defined in Chapter 1, may not  
12          exceed 80 feet overall dimension. The length limitation is  
13          inclusive of front and rear bumpers but exclusive of the  
14          overhang of the transported vehicles, as provided in  
15          paragraph (i) of this Section.

16          (7) A truck in transit transporting 3 trucks coupled  
17          together by the triple saddlemount method may not exceed  
18          97 feet overall dimension.

19          (8) A towaway trailer transporter combination may not  
20          exceed 82 feet overall dimension.

21          Vehicles operating during daylight hours when transporting  
22          poles, pipes, machinery, or other objects of a structural  
23          nature that cannot readily be dismantled or disassembled are  
24          exempt from length limitations, provided that no object may  
25          exceed 80 feet in length and the overall dimension of the  
26          vehicle including the load may not exceed 100 feet. This



1 exemption does not apply to operation on a Saturday, Sunday,  
2 or legal holiday. Legal holidays referred to in this Section  
3 are the days on which the following traditional holidays are  
4 celebrated: New Year's Day; Memorial Day; Independence Day;  
5 Labor Day; Thanksgiving Day; and Christmas Day.

6 Vehicles and loads operated by a public utility while en  
7 route to make emergency repairs to public service facilities  
8 or properties are exempt from length limitations, provided  
9 that during night operations every vehicle and its load must  
10 be equipped with a sufficient number of clearance lamps on  
11 both sides and marker lamps on the extreme ends of any  
12 projecting load to clearly mark the dimensions of the load.

13 A tow truck in combination with a disabled vehicle or  
14 combination of disabled vehicles, as provided in paragraph (6)  
15 of subsection (c) of this Section, is exempt from length  
16 limitations.

17 The length limitations described in this paragraph (d)  
18 shall be exclusive of safety and energy conservation devices,  
19 such as bumpers, refrigeration units or air compressors and  
20 other devices, that the Department may interpret as necessary  
21 for safe and efficient operation; except that no device  
22 excluded under this paragraph shall have by its design or use  
23 the capability to carry cargo.

24 Section 5-35 of the Illinois Administrative Procedure Act  
25 relating to procedures for rulemaking shall not apply to the  
26 designation of highways under this paragraph (d).

1 (e) On Class II highways there are no overall length  
2 limitations on motor vehicles operating in combinations,  
3 provided:

4 (1) The length of a semitrailer, unladen or with load,  
5 in combination with a truck tractor, may not exceed 53  
6 feet overall dimension.

7 (2) The distance between the kingpin and the center of  
8 the rear axle of a semitrailer longer than 48 feet, in  
9 combination with a truck tractor, may not exceed 45 feet 6  
10 inches. The limit contained in this paragraph (2) shall  
11 not apply to trailers or semi-trailers used for the  
12 transport of livestock as defined by Section 18b-101.

13 (3) A truck tractor-semitrailer-trailer or truck  
14 tractor semitrailer-semitrailer combination may not exceed  
15 65 feet in dimension from front axle to rear axle.

16 (4) The length of a semitrailer or trailer, unladen or  
17 with load, operated in a truck tractor-semitrailer-trailer  
18 or truck tractor semitrailer-semitrailer combination, may  
19 not exceed 28 feet 6 inches.

20 (5) Maxi-cube combinations, as defined in Chapter 1,  
21 may not exceed 65 feet overall dimension.

22 (6) A combination of vehicles, specifically designed  
23 to transport motor vehicles or boats, may not exceed 65  
24 feet overall dimension. The length limitation is inclusive  
25 of front and rear bumpers but exclusive of the overhang of  
26 the transported vehicles, as provided in paragraph (i) of

1           this Section.

2           (7) Stinger-steered semitrailer vehicles specifically  
3           designed to transport motor vehicles or boats may not  
4           exceed 80 feet overall dimension. The length limitation is  
5           inclusive of front and rear bumpers but exclusive of the  
6           overhang of the transported vehicles, as provided in  
7           paragraph (i) of this Section.

8           (8) A truck in transit transporting 3 trucks coupled  
9           together by the triple saddlemount method may not exceed  
10          97 feet overall dimension.

11          (9) A towaway trailer transporter combination may not  
12          exceed 82 feet overall dimension.

13          Vehicles operating during daylight hours when transporting  
14          poles, pipes, machinery, or other objects of a structural  
15          nature that cannot readily be dismantled or disassembled are  
16          exempt from length limitations, provided that no object may  
17          exceed 80 feet in length and the overall dimension of the  
18          vehicle including the load may not exceed 100 feet. This  
19          exemption does not apply to operation on a Saturday, Sunday,  
20          or legal holiday. Legal holidays referred to in this Section  
21          are the days on which the following traditional holidays are  
22          celebrated: New Year's Day; Memorial Day; Independence Day;  
23          Labor Day; Thanksgiving Day; and Christmas Day.

24          Vehicles and loads operated by a public utility while en  
25          route to make emergency repairs to public service facilities  
26          or properties are exempt from length limitations, provided

1 that during night operations every vehicle and its load must  
2 be equipped with a sufficient number of clearance lamps on  
3 both sides and marker lamps on the extreme ends of any  
4 projecting load to clearly mark the dimensions of the load.

5 A tow truck in combination with a disabled vehicle or  
6 combination of disabled vehicles, as provided in paragraph (6)  
7 of subsection (c) of this Section, is exempt from length  
8 limitations.

9 ~~Local authorities, with respect to streets and highways~~  
10 ~~under their jurisdiction, may also by ordinance or resolution~~  
11 ~~allow length limitations of this subsection (e).~~

12 The length limitations described in this paragraph (e)  
13 shall be exclusive of safety and energy conservation devices,  
14 such as bumpers, refrigeration units or air compressors and  
15 other devices, that the Department may interpret as necessary  
16 for safe and efficient operation; except that no device  
17 excluded under this paragraph shall have by its design or use  
18 the capability to carry cargo.

19 Section 5-35 of the Illinois Administrative Procedure Act  
20 relating to procedures for rulemaking shall not apply to the  
21 designation of highways under this paragraph (e).

22 (e-1) (Blank).

23 (e-2) Except as provided in subsection (e-3), combinations  
24 of vehicles over 65 feet in length, with no overall length  
25 limitation except as provided in subsections (d) and (e) of  
26 this Section, are allowed access as follows:

1           (1) From a Class I highway onto any street or highway  
2           for a distance of one highway mile for the purpose of  
3           loading, unloading, food, fuel, repairs, and rest,  
4           provided there is no sign prohibiting that access.

5           (2) From a Class I or Class II highway onto any  
6           non-designated highway for a distance of 5 highway miles  
7           for the purpose of loading, unloading, food, fuel,  
8           repairs, and rest if:

9                   (A) there is no sign prohibiting that access; and

10                   (B) the route is not being used as a thoroughfare  
11           between Class I or Class II highways.

12           (e-3) Combinations of vehicles over 65 feet in length  
13           operated by household goods carriers or towaway trailer  
14           transporter combinations, with no overall length limitations  
15           except as provided in subsections (d) and (e) of this Section,  
16           have unlimited access to points of loading, unloading, or  
17           delivery to or from a manufacturer, distributor, or dealer.

18           (f) On non-designated highways, except as provided in  
19           Section 15-316, the maximum length limitations for vehicles in  
20           combination are as follows:

21                   (1) A truck tractor in combination with a semitrailer  
22           may not exceed 65 feet overall dimension. An agency or  
23           instrumentality of the State of Illinois or any unit of  
24           local government shall not be required to widen or  
25           otherwise alter a non-designated highway ~~constructed~~  
26           ~~before January 1, 2018~~ to accommodate truck

1 tractor-semitrailer combinations under this paragraph (1).

2 (2) Semitrailers, unladen or with load, may not exceed  
3 53 feet overall dimension.

4 (3) A truck tractor-semitrailer-trailer or truck  
5 tractor semitrailer-semitrailer may not exceed 60 feet  
6 overall dimension.

7 (4) The distance between the kingpin and the center  
8 axle of a semitrailer longer than 48 feet, in combination  
9 with a truck tractor, may not exceed 42 feet 6 inches. The  
10 limit contained in this paragraph (4) shall not apply to  
11 trailers or semi-trailers used for the transport of  
12 livestock as defined by Section 18b-101.

13 (g) Length limitations in the preceding subsections of  
14 this Section 15-107 do not apply to the following:

15 (1) Vehicles operated in the daytime, except on  
16 Saturdays, Sundays, or legal holidays, when transporting  
17 poles, pipe, machinery, or other objects of a structural  
18 nature that cannot readily be dismantled or disassembled,  
19 provided the overall length of vehicle and load may not  
20 exceed 100 feet and no object exceeding 80 feet in length  
21 may be transported unless a permit has been obtained as  
22 authorized in Section 15-301. As used in this Section,  
23 "legal holiday" means any of the following days: New  
24 Year's Day; Memorial Day; Independence Day; Labor Day;  
25 Thanksgiving Day; and Christmas Day.

26 (2) Vehicles and loads operated by a public utility

1 while en route to make emergency repairs to public service  
2 facilities or properties, but during night operation every  
3 vehicle and its load must be equipped with a sufficient  
4 number of clearance lamps on both sides and marker lamps  
5 upon the extreme ends of any projecting load to clearly  
6 mark the dimensions of the load.

7 (3) A tow truck in combination with a disabled vehicle  
8 or combination of disabled vehicles, as provided in  
9 paragraph (6) of subsection (c) of this Section, is exempt  
10 from length limitations.

11 The towing vehicle, however, may tow any disabled vehicle  
12 from the initial point of wreck or disablement to a point where  
13 repairs are actually to occur. This movement shall be valid  
14 only on State routes. The tower must abide by posted bridge  
15 weight limits.

16 All other combinations not listed in this subsection (f)  
17 may not exceed 60 feet overall dimension.

18 (h) The load upon any vehicle operated alone, or the load  
19 upon the front vehicle of a combination of vehicles, shall not  
20 extend more than 3 feet beyond the front wheels of the vehicle  
21 or the front bumper of the vehicle if it is equipped with a  
22 front bumper. The provisions of this subsection (h) shall not  
23 apply to any vehicle or combination of vehicles specifically  
24 designed for the collection and transportation of waste,  
25 garbage, or recyclable materials during the vehicle's  
26 operation in the course of collecting garbage, waste, or

1 recyclable materials if the vehicle is traveling at a speed  
2 not in excess of 15 miles per hour during the vehicle's  
3 operation and in the course of collecting garbage, waste, or  
4 recyclable materials. However, in no instance shall the load  
5 extend more than 7 feet beyond the front wheels of the vehicle  
6 or the front bumper of the vehicle if it is equipped with a  
7 front bumper.

8 (i) The load upon the front vehicle of an automobile  
9 transporter or a stinger-steered vehicle specifically designed  
10 to transport motor vehicles shall not extend more than 4 feet  
11 beyond the foremost part of the transporting vehicle and the  
12 load upon the rear transporting vehicle shall not extend more  
13 than 6 feet beyond the rear of the bed or body of the vehicle.  
14 This paragraph shall only be applicable upon highways  
15 designated in paragraphs (d) and (e) of this Section.

16 (j) Articulated vehicles comprised of 2 sections, neither  
17 of which exceeds a length of 42 feet, designed for the carrying  
18 of more than 10 persons, may be up to 60 feet in length, not  
19 including energy absorbing bumpers, provided that the vehicles  
20 are:

21 1. operated by or for any public body or motor carrier  
22 authorized by law to provide public transportation  
23 services; or

24 2. operated in local public transportation service by  
25 any other person and the municipality in which the service  
26 is to be provided approved the operation of the vehicle.



1 (j-1) (Blank).

2 (k) Any person who is convicted of violating this Section  
3 is subject to the penalty as provided in paragraph (b) of  
4 Section 15-113.

5 (l) (Blank).

6 (Source: P.A. 101-328, eff. 1-1-20; 102-124, eff. 7-23-21.)

7 (625 ILCS 5/15-116)

8 Sec. 15-116. Highway designations.

9 (a) The Department of Transportation shall maintain and  
10 provide a listing of all Class I and Class II designated  
11 streets and highways as defined in Chapter 1 of this Code.

12 (b) The Department shall also maintain and provide a  
13 listing of all local streets or highways that have been  
14 designated Class II by local agencies.

15 (c) Local agencies shall be responsible for reporting to  
16 the Department all streets and highways under their  
17 jurisdiction designated Class II. Local agencies shall also  
18 provide to the Department reference contact names and  
19 telephone numbers.

20 (d) The Department shall also maintain and provide an  
21 official map of the Designated State Truck Route System that  
22 includes State and local streets and highways that have been  
23 designated Class I or Class II.

24 (e) If a unit of local government has no Class II  
25 designated truck routes, the unit of local government shall

1 affirm to the Department that it has no such truck routes.

2 (f) Each unit of local government shall ~~may~~ report to the  
3 Department, and the Department shall post on its official  
4 website, any limitations prohibiting the operation of vehicles  
5 imposed by ordinance or resolution in the unit of local  
6 government's non-designated highway system.

7 (Source: P.A. 101-328, eff. 1-1-20.)

8 (625 ILCS 5/15-316) (from Ch. 95 1/2, par. 15-316)

9 Sec. 15-316. When the Department or local authority may  
10 restrict right to use highways.

11 (a) Except as provided in subsection (g), local  
12 authorities with respect to highways under their jurisdiction  
13 may by ordinance or resolution prohibit the operation of  
14 vehicles upon any such highway or impose restrictions as to  
15 the weight of vehicles to be operated upon any such highway,  
16 for a total period of not to exceed 90 days, measured in either  
17 consecutive or nonconsecutive days at the discretion of local  
18 authorities, in any one calendar year, whenever any said  
19 highway by reason of deterioration, rain, snow, or other  
20 climate conditions will be seriously damaged or destroyed  
21 unless the use of vehicles thereon is prohibited or the  
22 permissible weights thereof reduced.

23 (b) The local authority enacting any such ordinance or  
24 resolution shall erect or cause to be erected and maintained  
25 signs designating the provision of the ordinance or resolution

1 at each end of that portion of any highway affected thereby,  
2 and the ordinance or resolution shall not be effective unless  
3 and until such signs are erected and maintained. To be  
4 effective, an ordinance or resolution passed to designate a  
5 Class II roadway need not require that signs be erected, but  
6 the designation shall be reported to the Department.

7 (c) Local authorities with respect to highways under their  
8 jurisdiction may also, by ordinance or resolution, prohibit  
9 the operation of trucks or other commercial vehicles, or may  
10 impose limitations as the weight, height, or length thereof,  
11 ~~on designated highways,~~ which prohibitions and limitations  
12 shall be marked ~~designated~~ by appropriate signs placed on such  
13 highways.

14 (c-1) (Blank).

15 (c-5) Highway commissioners, with respect to roads under  
16 their authority, may not permanently post a road or portion  
17 thereof at a reduced weight limit unless the decision to do so  
18 is made in accordance with Section 6-201.22 of the Illinois  
19 Highway Code.

20 (d) The Department shall likewise have authority as  
21 hereinbefore granted to local authorities to determine by  
22 resolution and to impose restrictions as to the weight, height,  
23 height, or length of vehicles operated upon any highway under  
24 the jurisdiction of said department, and such restrictions  
25 shall be effective when signs giving notice thereof are  
26 erected upon the highway or portion of any highway affected by

1 such resolution.

2 (d-1) (Blank).

3 (d-2) (Blank).

4 (e) When any vehicle is operated in violation of this  
5 Section, the owner or driver of the vehicle shall be deemed  
6 guilty of a violation and either the owner or the driver of the  
7 vehicle may be prosecuted for the violation. Any person, firm,  
8 or corporation convicted of violating this Section shall be  
9 fined \$50 for any weight exceeding the posted limit up to the  
10 axle or gross weight limit allowed a vehicle as provided for in  
11 subsections (a) or (b) of Section 15-111 and \$75 per every 500  
12 pounds or fraction thereof for any weight exceeding that which  
13 is provided for in subsections (a) or (b) of Section 15-111.

14 (f) A municipality is authorized to enforce a county  
15 weight limit ordinance applying to county highways within its  
16 corporate limits and is entitled to the proceeds of any fines  
17 collected from the enforcement.

18 (g) An ordinance or resolution enacted by a county or  
19 township pursuant to subsection (a) of this Section shall not  
20 apply to cargo tank vehicles with two or three permanent axles  
21 when delivering propane for emergency heating purposes if the  
22 cargo tank is loaded at no more than 50 percent capacity, the  
23 gross vehicle weight of the vehicle does not exceed 32,000  
24 pounds, and the driver of the cargo tank vehicle notifies the  
25 appropriate agency or agencies with jurisdiction over the  
26 highway before driving the vehicle on the highway pursuant to

1 this subsection. The cargo tank vehicle must have an operating  
2 gauge on the cargo tank which indicates the amount of propane  
3 as a percent of capacity of the cargo tank. The cargo tank must  
4 have the capacity displayed on the cargo tank, or  
5 documentation of the capacity of the cargo tank must be  
6 available in the vehicle. For the purposes of this subsection,  
7 propane weighs 4.2 pounds per gallon. This subsection does not  
8 apply to municipalities. Nothing in this subsection shall  
9 allow cargo tank vehicles to cross bridges with posted weight  
10 restrictions if the vehicle exceeds the posted weight limit.  
11 (Source: P.A. 101-328, eff. 1-1-20.)